

“Spray Your Way To The Perfect Finish”





“Spray Your Way To The Perfect Finish”

Since 1966, We've Kept Our Focus On *Achieving the Perfect Finish*

Apollo Sprayers International, Inc. was founded with a singular mission – to provide the perfect finish. Over the years we have led the field in highly innovative Low overspray HVLP products for spray finishing. Today, our state-of-the-art factory in Vista, California (USA) manufactures expertly engineered HVLP products using the latest techniques and sophisticated HVLP technology.


HVLP – High Volume Low Pressure

HVLP revolutionizes spray finishing with key benefits that cannot be achieved by any other means. A major reduction in overspray yields a safer environment and a measurable savings on coatings. Exceptional spray precision makes the whole job easier, the results absolutely flawless.

Apollo HVLP products are used for industrial and commercial finishing as well as in the quality-oriented home workshop. Our ongoing commitment to research and development ensures that all our products provide the newest, most efficient and easiest-to-use HVLP technology.

Apollo maintains constant research and development. Our manufacturing conforms to all ***True HVLP*** principles. We are continuously developing and testing the most powerful turbine motors in the world. Close ties to coatings manufacturers ensure accurate technical advice to finishers along with equipment capable of handling the newest coating technology.

Whether you spray on site, in a shop or factory, thanks to Apollo's single-minded pursuit of the perfect finish, your work will have error free, impeccable results and you'll get it right the first time, every time!



A Passion for Innovation – A History of Firsts

Apollo's commitment to innovation has resulted in a lengthy list of industry-leading firsts.

- **Dual turbine systems (US Patent #4,854,822)**
- **Spray guns with 100% stainless steel fluid components**
- **TrueHVLP air conversion spray guns**
- **5-year written warranty (model specific)**
- **30-day satisfaction guarantee**
- **Stainless steel turbine system case**
- **Tri-Mode™ HVLP conversion spray guns with dual material inputs**
- **Xpansive™ fan control**
- **3-stage turbine system**
- **HVLP conversion guns that operate on both compressed or turbine air (US Patent #5,429,307)**
- **Quadra-Clean Filter system™**
- **PowerPause™ (US Patent #9,599,117)**
- **Digital pressure display (US Patent #9,599,117)**
- **Handi-Hold™ docking station with ReadyLock™**
- **Modular turbine production system**
- **UltraFlex™ lightweight whip hoses with alloy quick-connect couplers**

Quality and Safety

A key focus in the design of every Apollo product is that it must be extremely safe and comfortable for the user. Today's Apollo turbine systems meet the toughest environmental codes worldwide, and are significant for their rugged construction, comfortable operation, full ventilation, and multiple filtration. It is a simple fact that Apollo systems are designed to produce cleaner, cooler air to distribute the coating, which results in a perfect finish.

Reliability and Durability

Reliability and Durability Apollo Spray Guns are engineered using stainless steel for all wetted fluid parts with no "O" rings. They deliver 80-90% less overspray than conventional spray methods and offer flawless performance and outstanding results. In addition, all Apollo gun and turbine parts are readily available through Authorized Distributors worldwide.

More Precision & Power

The maximized power and exclusive features of the **PRECISION-6 PRO™** put you in control of the most advanced **TrueHVLP™** system for industries and applications demanding precision HVLP technology for the perfect finish. The **PRECISION-6 PRO™** can be used for the widest range of coatings, solvent or water base, clear or pigmented as well as specialized materials: faux paints, gelcoat, latex (emulsion) and multi-spec. Great for spraying Industrial and Italian waterborne coatings without reducing.

Advanced Features

Precision

Pressure Control System (PCS™) controls motor speed, voltage and amperage adjusting automatically for altitude and barometric pressure assuring precise atomizing pressure anywhere.

Unparalleled Power & Efficiency

Delivers 11.5 PSI sealed pressure for optimum atomization. Documented 80+% transfer efficiency and 40% savings on coatings when compared with compressed air systems.

LCD Message Center

Hour Meter, Accurate Pressure to 1/10th PSI, PowerPause, Filter and Temperature Warning.



PowerPause™

Provide a 60 second auto-idle mode to preserve motor life and long-term reliability while permitting the highest available flow pressure. (U.S. Patent 9,599,117 B2).

QuadraClean™

Dual automotive washable filters provide advanced air filtration to keep the system running cooler and prolong motor life.

32' (9.75 meter) Apollo-Flex™ Hose

Quick lightweight alloy couplers on both ends and our exclusive Ultra-Flex™ whip hose at the spray gun end.

Handi-Hold™ Spray Gun Docking Stations

Store, hold or transport your spray guns, or other accessories, safely.



Bold Black and Stainless Case

Included Accessories - Over \$400 Value

Deluxe Spray Gun Case, Wrench, Gun Lube, Hose Plug, (2) Needle/Nozzle Sets, (1) Air Cap, Deluxe Cleaning Kit, Viscosity Cup & Blow Off Tool.



Production Systems

P6PRO-4550 Mobile Fluid Feed Cart System

Designed to be used with the **PRECISION-6 PRO** and other Apollo turbine systems. Excellent in the shop or on-site. Perfect for larger jobs when a quart (litre) is just not enough or when greater spray gun mobility is needed to get into a tight corner.

This 2.5 gallon (10 litre) pressure pot features a non-stick coating inside and out, plus stainless steel fluid parts throughout. Large wheels provide easier mobility when going up and down stairs or curbs.

Includes:

PRECISION-6 PRO turbine system, 7700 AtomiZer spray gun, 2.5 gallon (10 litre) deluxe pressure pot, oil-less mini air compressor, 30' (9m) fluid hose and cart.



P6PRO-4500 Mobile Fluid Feed System

Designed to be used with the **PRECISION-6 PRO** and other Apollo turbine systems. Excellent in the shop or on site. Perfect for that larger job when a quart (litre) is just not enough or when greater spray gun mobility is needed to get into a tight corner.

Includes:

PRECISION-6 PRO turbine system, 7700 AtomiZer spray gun, 2 quart (2 litre) pressure pot with stainless steel material tube, oil-less mini air compressor, 30' (9m) fluid hose and 4 wheels for easy mobility.



More Precision & Power

The maximized power and exclusive features of the **PRECISION-6 PRO™** put you in control of the most advanced **TrueHVLP™** system for industries and applications demanding precision HVLP technology for the perfect finish. The **PRECISION-6 PRO™** can be used for the widest range of coatings, solvent or water base, clear or pigmented as well as today's specialized materials: Single-stage, Pearls, Metallics, and Metalflake.



Advanced Features

Precision

Pressure Control System (PCS™) controls motor speed, voltage and amperage adjusting automatically for altitude and barometric pressure assuring precise atomizing pressure anywhere.

Unparalleled Power & Efficiency

Delivers 11.5 PSI sealed pressure for optimum atomization. Documented 80+% transfer efficiency and 40% savings on coatings when compared with compressed air systems.

LCD Message Center

Hour Meter, Accurate Pressure to 1/10th PSI, PowerPause, Filter and Temperature Warning.



PowerPause™

Provide a 60 second auto-idle mode to preserve motor life and long-term reliability while permitting the highest available flow pressure. (U.S. Patent 9,599,117 B2).

QuadraClean™

Dual automotive washable filters provide advanced air filtration to keep the system running cooler and prolong motor life.

32' (9.75 meter) Apollo-Flex™ Hose

Quick lightweight alloy couplers on both ends and our exclusive Ultra-Flex™ whip hose at the spray gun end.

Handi-Hold™ Spray Gun Docking Stations

Store, hold or transport your spray guns, or other accessories, safely.

Bold Black and Stainless Case

Included Accessories - Over \$400 Value

Deluxe Spray Gun Case, Wrench, Gun Lube, Hose Plug, (2) Needle/Nozzle Sets, (1) Air Cap, Deluxe Cleaning Kit, Viscosity Cup & Blow Off Tool.



BIG POWER - BIGGER SAVINGS

PERFECT FOR BODY SHOP & MOBILE USE

Average Monthly
Paint Cost

Average Monthly
Paint Cost with Apollo


Average Monthly
Saving with Apollo

\$ 1,000.00	\$ 620.00	\$ 380.00
\$ 2,000.00	\$ 1,240.00	\$ 760.00
\$ 3,000.00	\$ 1,860.00	\$ 1,140.00
\$ 5,000.00	\$ 3,100.00	\$ 1,900.00
\$ 10,000.00	\$ 6,200.00	\$ 3,800.00

Paint savings are estimated based on the ability of the **PRECISION-6 PRO™** to provide 80% transfer efficiency on a consistent basis. This benefit also reduces booth clean-up, filter replacements and minimizes over-spray when using outside the booth.



THE ULTIMATE TrueHVLP™ SPRAY GUN



Discover the highest transfer efficiency and lowest overspray with maximum atomization for the smoothest finish. The **AtomiZer 7600 Series** is the ultimate performer. This technologically advanced spray gun delivers enhanced **TrueHVLP** performance and flawless results when paired with a Maxi-Miser Electric Paint System. Seeing is believing with this breakthrough technology.

SPRAY GUN INCLUDED





PRECISION & POWER WITHOUT A COMPRESSOR!

The enhanced power and exclusive features of the **3000 PRO™** put you in control of the most advanced TrueHVLPTM painting system for automotive applications demanding precision HVLP technology for the perfect finish. The **3000 PRO™** takes HVLP Electric Paint Systems to the next level with the most powerful system available on the market. The **3000 PRO™** has been specifically designed for those painters in a high-production collision repair shop or doing completes. This system can do spot repairs to full car paint jobs. With the **Included over \$200 Genuine Apollo Accessory Package**, the **3000 PRO™** can be used for the widest range of automotive coatings, solvent or water base, clear or pigmented as well as specialized coatings pearls or with metallics. Perfect orientation of your metallics without the need for a drop coat.



LCD MESSAGE CENTER



Hour Meter, Accurate Pressure to 1/10th PSI, Power Pause, Filter and Temperature Warning.

KEY BENEFITS

- 40% Paint Savings
- 80% Transfer Efficiency
- Dedicated Warm, Dry Air – no oil or moisture contamination.
- Perfect Finish Results with Basecoats, Metallics and pearls – solvent or waterborne
- Helps Waterborne Paints Dry Faster
- Mobile or Fixed Installation

OPTIONAL REMOTE CONTROL



Includes 100' of cable to control the system from the mixing station or other remote location.



BIG POWER - BIGGER SAVINGS

Average Monthly
Paint Cost

Average Monthly
Paint Cost with Apollo

Average Monthly
Saving with Apollo


\$ 1,000.00	\$ 620.00	\$ 380.00
\$ 2,000.00	\$ 1,240.00	\$ 760.00
\$ 3,000.00	\$ 1,860.00	\$ 1,140.00
\$ 5,000.00	\$ 3,100.00	\$ 1,900.00
\$ 10,000.00	\$ 6,200.00	\$ 3,800.00

Paint savings are estimated based on the ability of the **3000 PRO™** to provide 80% transfer efficiency on a consistent basis. This benefit also reduces booth clean-up, filter replacements and minimizes over-spray when using outside the booth.

PERFECT FOR BODY SHOP USE




THE ULTIMATE TrueHVLP™ SPRAY GUN



Discover the highest transfer efficiency and lowest overspray with maximum atomization for the smoothest finish. The **AtomiZer 7600 Series** is the ultimate performer. This technologically advanced spray gun delivers enhanced **TrueHVLP** performance and flawless results when paired with a Maxi-Miser Electric Paint System. Seeing is believing with this breakthrough technology.

THREE SPRAY GUNS INCLUDED



Precision Variable Power

The **POWER-5 VS™** includes enhanced 5-Stage Turbine power, Variable-Speed and exclusive features that put you in control of this advanced **TrueHVLP™** system for industries and applications demanding precision HVLP technology for the perfect finish. With **OVER \$365 of included Genuine Apollo Accessories**, the **POWER-5 VS™** can be used for the widest range of coatings, solvent or water base, clear or pigmented as well as specialized materials: faux paints, gelcoat, latex (emulsion) and multi-spec.



Advanced Features

Variable Speed Pressure Control

Precise control of the turbine pressure output, from 0.1–9.5 PSI, for professional results with all finishes.

Unparalleled Power & Efficiency

Delivers 9.5 PSI sealed pressure for optimum atomization. Documented 80+% transfer efficiency and 38% savings on coatings when compared with compressed air systems.

QuadraClean™

Dual automotive filters provide advanced air filtration to keep the system running cooler and prolong motor life.

32' (9.75 meter) Apollo-Flex™ Hose

Quick lightweight alloy couplers on both ends and our exclusive Ultra-Flex™ whip hose at the spray gun end.

Handi-Hold™ Spray Gun Docking Station

Store, hold or transport your spray gun, or other accessories, safely.

7700 Atomizer® Spray Gun Choices

Apollo offers 7 spray guns that are compatible with the POWER-5 VS™. Choose the gravity or bottom-feed cup option that best fits your needs.

3-Year Limited Warranty

The 2+1 warranty includes 2 years parts and labor to protect your investment. Registering your system adds the 1 year of bonus coverage.

Included PLUS Accessories - Over \$365 Value

Deluxe Spray Gun Case, Wrench (Spanner), Gun Lube, (2) Needle/Nozzle Sets, (1) Air Cap, Cleaning Kit, Viscosity Cup & Blow Off Tool.



Production Systems

PW5VS-4550 Mobile Fluid Feed Cart System

Designed to be used with the **POWER-5 VS™** and other Apollo turbine systems. Excellent in the shop or on-site. Perfect for larger jobs when a quart (litre) is just not enough or when greater spray gun mobility is needed to get into a tight corner.

This 2.5 gallon (10 litre) pressure pot features a non-stick coating inside and out, plus stainless steel fluid parts throughout. Large wheels provide easier mobility when going up and down stairs or curbs.

Includes:

POWER-5 VS™ turbine system, 7700 Atomizer® spray gun, over \$365 of Genuine Apollo accessories, 2.5 gallon (10 litre) deluxe pressure pot, oil-less mini air compressor, 30' (9m) fluid hose and cart.



PW5VS-4500 Mobile Fluid Feed System

Designed to be used with the **POWER-5 VS™** and other Apollo turbine systems. Excellent in the shop or on site. Perfect for that larger job when a quart (litre) is just not enough or when greater spray gun mobility is needed to get into a tight corner.

Includes:

POWER-5 VS™ turbine system, 7700 Atomizer® spray gun, over \$365 of Genuine Apollo accessories, 2 quart (2 litre) pressure pot with stainless steel material tube, oil-less mini air compressor, 30' (9m) fluid hose and 4 wheels for easy mobility.



Precision Variable Power

The **POWER-5 VS™** includes enhanced 5-Stage Turbine power, Variable-Speed and exclusive features that put you in control of this advanced **TrueHVLP™** system for industries and applications demanding precision HVLP technology for the perfect finish. With the **Included Over \$120 Genuine Accessory Package**, the **POWER-5 VS™** can be used for a wide range of coatings, solvent or water base, clear or pigmented as well as specialized materials: faux paints, gelcoat, latex (emulsion) and multi-spec.



Advanced Features

Variable Speed Pressure Control

Precise control of the turbine pressure output, from 0.1– 9.5 PSI, for professional results with all finishes.

Unparalleled Power & Efficiency

Delivers 9.5 PSI sealed pressure for optimum atomization. Documented 80+% transfer efficiency and 38% savings on coatings when compared with compressed air systems.

QuadraClean™

Dual automotive filters provide advanced air filtration to keep the system running cooler and prolong motor life.

32' (9.75 meter) Apollo-Flex™ Hose

Quick lightweight alloy couplers on both ends and our exclusive Ultra-Flex™ whip hose at the spray gun end.

Handi-Hold™ Spray Gun Docking Station

Store, hold or transport your spray gun, or other accessories, safely.

7700 Atomizer® Spray Gun Choices

Apollo offers 7 spray guns that are compatible with the POWER-5 VS™. Choose the gravity or bottom-feed cup option that best fits your needs.

3-Year Limited Warranty

The 2+1 warranty includes 2 years parts and labor to protect your investment. Registering your system adds the 1 year of bonus coverage.

Included Accessories - Over \$120 Value

Deluxe Spray Gun Case, Wrench (Spanner), Gun Lube, Cleaning Kit, Viscosity Cup & Blow Off Tool.



Production Systems

PW5VS-4550 Mobile Fluid Feed Cart System

Designed to be used with the **POWER-5 VS™** and other Apollo turbine systems. Excellent in the shop or on-site. Perfect for larger jobs when a quart (litre) is just not enough or when greater spray gun mobility is needed to get into a tight corner.

This 2.5 gallon (10 litre) pressure pot features a non-stick coating inside and out, plus stainless steel fluid parts throughout. Large wheels provide easier mobility when going up and down stairs or curbs.

Includes:

POWER-5 VS™ turbine system, 7700 Atomizer® spray gun, over \$120 of Genuine Apollo Accessories, 2.5 gallon (10 litre) deluxe pressure pot, oil-less mini air compressor, 30' (9m) fluid hose and cart.



PW5VS-4500 Mobile Fluid Feed System

Designed to be used with the **POWER-5 VS™** and other Apollo turbine systems. Excellent in the shop or on site. Perfect for that larger job when a quart (litre) is just not enough or when greater spray gun mobility is needed to get into a tight corner.

Includes:

POWER-5 VS™ turbine system, 7700 Atomizer® spray gun, over \$120 of Genuine Apollo Accessories, 2 quart (2 litre) pressure pot with stainless steel material tube, oil-less mini air compressor, 30' (9m) fluid hose and 4 wheels for easy mobility.



Precision Variable Power

The variable power and exclusive features of the **POWER-5 VS™ AUTO** put you in control of this advanced **TrueHVLP™** system for automotive applications demanding dynamic HVLP technology for the perfect finish. With the **INCLUDED \$120 Genuine Accessory Package** the **POWER-5 VS™ AUTO** can be used for a wide range of automotive coatings, solvent or water base, clear or pigmented as well as primers and sealers. **The \$365 PLUS Package** includes additional needles/nozzles and an air cap to insure you have all the tools to spray any automotive material. Spray Primer/Sealer, Base coat, Clear coat, metallics, pearls and even metal flake! Don't waste another drop of paint, get your Apollo Turbo Spray System today!



Advanced Features

Variable Speed Pressure Control

Precise control of the turbine pressure output, from 0.1– 9.5 PSI, for professional results with all finishes.

Unparalleled Power & Efficiency

Delivers 9.5 PSI sealed pressure for optimum atomization. Documented 80+% transfer efficiency and 38% savings on coatings when compared with compressed air systems.

QuadraClean™

Dual automotive filters provide advanced air filtration to keep the system running cooler and prolong motor life.

32' (9.75 meter) Apollo-Flex™ Hose

Quick lightweight alloy couplers on both ends and our exclusive Ultra-Flex™ whip hose at the spray gun end.

Handi-Hold™ Spray Gun Docking Station

Store, hold or transport your spray gun, or other accessories, safely.

7600 Atomizer® Spray Gun Choices

The 600cc gravity cup (shown above) is standard. 3 optional gravity cups are available (90cc, 250cc and 1000cc). Choose the gravity cup options that best suits your needs.

3-Year Limited Warranty

The 2+1 warranty includes 2 years parts and labor to protect your investment. Registering your system adds the 1 year of bonus coverage.

Included PLUS Accessories - Over \$120 Value

Deluxe Spray Gun Case, Wrench (Spanner), Gun Lube, Cleaning Kit, Viscosity Cup & Blow Off Tool.



PLUS Accessories
Two needles/nozzles
and an air cap



Precision Variable Power

The **POWER-4 VS™** includes enhanced 4-Stage Turbine power, Variable-Speed and exclusive features that put you in control of this advanced **TrueHVLP™** system for industries and applications demanding precision HVLP technology for the perfect finish. The **POWER-4 VS™** can be used for the wide range of coatings, solvent or water base, clear or pigmented.



Since 1966

Advanced Features

Variable Speed Pressure Control

Precise control of the turbine pressure output, from 0.1– 9.0 PSI, for professional results with all finishes.

Unparalleled Power & Efficiency

Delivers 9.0 PSI sealed pressure for optimum atomization. Documented 80+% transfer efficiency and 38% savings on coatings when compared with compressed air systems.

QuadraClean™

Dual automotive filters provide advanced air filtration to keep the system running cooler and prolong motor life.

29' (8.84 meter) Apollo-Flex™ Hose

Quick lightweight alloy couplers on both ends and our exclusive Ultra-Flex™ whip hose at the spray gun end.

Handi-Hold™ Spray Gun Docking Station

Store, hold or transport your spray gun, or other accessories, safely.

7700 Atomizer® Spray Gun Choices

Apollo offers 7 spray guns that are compatible with the POWER-4 VS™. Choose the gravity or bottom-feed cup option that best fits your needs.

3-Year Limited Warranty

The 2+1 warranty includes 2 years parts and labor to protect your investment. Registering your system adds the 1 year of bonus coverage.

Included Accessories - Over \$75 Value

Deluxe Spray Gun Case, Wrench (Spanner), Gun Lube, Viscosity Cup & Blow Off Tool.



Precision Variable Power

The **POWER-3 VS™** includes enhanced 3-Stage Turbine power, Variable-Speed and exclusive features that put you in control of this advanced **TrueHVLP™** system for industries and applications demanding precision HVLP technology for the perfect finish. The **POWER-3 VS™** can be used for the wide range of coatings, solvent or water base, clear or pigmented.



Since 1966

Advanced Features

Variable Speed Pressure Control

Precise control of the turbine pressure output, from 0.1– 7.0 PSI, for professional results with all finishes.

Unparalleled Power & Efficiency

Delivers 7.0 PSI sealed pressure for optimum atomization. Documented 80+% transfer efficiency and 38% savings on coatings when compared with compressed air systems.

QuadraClean™

Dual automotive filters provide advanced air filtration to keep the system running cooler and prolong motor life.

29' (8.84 meter) Apollo-Flex™ Hose

Quick lightweight alloy couplers on both ends and our exclusive Ultra-Flex™ whip hose at the spray gun end.

Handi-Hold™ Spray Gun Docking Station

Store, hold or transport your spray gun, or other accessories, safely.

7700 Atomizer® Spray Gun Choices

Apollo offers 7 spray guns that are compatible with the POWER-3 VS™. Choose the gravity or bottom-feed cup option that best fits your needs.

3-Year Limited Warranty

The 2+1 warranty includes 2 years parts and labor to protect your investment. Registering your system adds the 1 year of bonus coverage.

Included Accessories - Over \$75 Value

Deluxe Spray Gun Case, Wrench (Spanner), Gun Lube, Viscosity Cup & Blow Off Tool.



Soaring Performance & Value

The **Falcon[®] Spray FS5** HVLP paint spray system is a powerful 5-stage turbine designed for the professional hobbyist or occasional finisher and made with pride in the USA. The **Falcon[®] Spray FS5** will atomize and spray the fullest range of coating viscosities without compromise on cars, boats, planes, wood projects, fencing, farm equipment, machinery and more. Excellent results with higher viscosity products including latex (emulsion) paints.



Advanced Features

Power and Performance

Delivers 9.5 PSI sealed pressure for optimum atomization of many finishes. Documented 80+% transfer efficiency and 38% savings on coatings when compared with compressed air systems.

Dual Air Efficient Design and Filtration

The twin air intake filters remove airborne particulates and the 16 cooling louvers extract heated air from the inner case to preserve motor life.

QT™ Quiet Technology™

Computer designed Quiet Technology™ lowers dBA levels for a more pleasant spraying experience.

Handi-Hold™ Spray Gun Docking Station with Redi-Loc™

Store, hold or transport your spray gun, or other accessories, safely and never tip your gun over again!

28' (8.5 meter) Flexible Hose

Quick lightweight alloy couplers on both ends and our exclusive flexible air hose.

Spray Gun Options

Apollo offers 3 spray guns that are compatible with the Falcon Spray™ FS5. Choose from 3 professional spray guns based on your needs.

2-Year Limited Warranty

This comprehensive warranty covers parts and labor
– Register Online

Also available in 3 and 4-stage models

THREE SPRAY GUN OPTIONS



E5011 Bleeder
with Bottom Cup



E7000 Non-Bleeder
with Bottom Cup



E7700GTO Non-Bleeder
with Gravity Cup

Soaring Performance & Value

The **Falcon® Spray FS4** HVLP paint spray system is an efficient and powerful 4-stage turbine designed for the professional hobbyist or occasional finisher and made with pride in the USA. The **Falcon® Spray FS4** can be used to spray a wide range of thin to medium viscosity finishes on cars, boats, planes, wood projects, fencing and more.



Advanced Features

Power and Performance

Delivers 9.0 PSI sealed pressure for optimum atomization of many finishes. Documented 80+% transfer efficiency and 38% savings on coatings when compared with compressed air systems.

Dual Air Efficient Design and Filtration

The twin air intake filters remove airborne particulates and the 16 cooling louvers extract heated air from the inner case to preserve motor life.

QT™ Quiet Technology™

Computer designed Quiet Technology™ lowers dBA levels for a more pleasant spraying experience.

Handi-Hold™ Spray Gun Docking Station with Redi-Loc™

Store, hold or transport your spray gun, or other accessories, safely and never tip your gun over again!

25' (7.6 meter) Flexible Hose

Quick lightweight alloy couplers on both ends and our exclusive flexible air hose.

Spray Gun Options

Apollo offers 3 spray guns that are compatible with the Falcon Spray™ FS4. Choose from 3 professional spray guns based on your needs.

2-Year Limited Warranty

This comprehensive warranty covers parts and labor – Register Online

Also available in 3 and 5-stage models

THREE SPRAY GUN OPTIONS



E5011 Bleeder with Bottom Cup



E7000 Non-Bleeder with Bottom Cup



E7700GTO Non-Bleeder with Gravity Cup

Soaring Performance & Value

The **Falcon® Spray FS3** HVLP paint spray system is an efficient 3-stage turbine designed for the professional hobbyist or occasional finisher and made with pride in the USA. The **Falcon® Spray FS3** can be used to spray a wide range of thin to medium viscosity finishes on cars, boats, planes, wood projects, fencing and more.



Advanced Features

Power and Performance

Delivers 7.0 PSI sealed pressure for optimum atomization of many finishes. Documented 80+% transfer efficiency and 38% savings on coatings when compared with compressed air systems.

Dual Air Efficient Design and Filtration

The twin air intake filters remove airborne particulates and the 16 cooling louvers extract heated air from the inner case to preserve motor life.

QT™ Quiet Technology™

Computer designed Quiet Technology™ lowers dBa levels for a more pleasant spraying experience.

Handi-Hold™ Spray Gun Docking Station with Redi-Loc™

Store, hold or transport your spray gun, or other accessories, safely and never tip your gun over again!

25' (7.6 meter) Flexible Hose

Quick lightweight alloy couplers on both ends and our exclusive flexible air hose.

Spray Gun Options

Apollo offers 3 spray guns that are compatible with the Falcon Spray™ FS3. Choose from 3 professional spray guns based on your needs.

2-Year Limited Warranty

This comprehensive warranty covers parts and labor – Register Online

Also available in 4 and 5-stage models

THREE SPRAY GUN OPTIONS



E5011 Bleeder with Bottom Cup



E7000 Non-Bleeder with Bottom Cup

E7700GTO Non-Bleeder with Gravity Cup

Compatible With Most HVLP Turbine Systems

The
Atomizer[®]



7700T/C Series HVLP Spray Gun For Turbine or Compressed Air

Apollo Sprayers has created a giant leap forward in *TrueHVLP™* technology with the *Atomizer[®]* 7700 Series Spray Gun. This unique spray gun delivers enhanced *TrueHVLP™* performance and flawless results with any make turbine or air compressor (3HP/20G tank or larger). Seeing is believing with this breakthrough technology.

- **Dual Air & Material Inputs**
- **Material Adjustment Knob with +/- Indicators**
- **MicroTech™ Atomization Technology**
- **Precision Overspray Control (Turbine Model Only) & Improved Air Distributor**
- **Air Cap Design with 3-Turn Removal**
8 Color-Coded Options make changing nozzle and needle sizes quick and easy
 - **Standard Caps:**
Green A (0.8mm), Gold B (1.0-1.5mm), Blue C (1.8-2.0mm), Silver D: (2.5mm)
 - **High Solid Caps:**
Black CC-HS (0.5mm), Gold B-HS (0.8mm), Blue C-HS (1.8-2.0mm), Silver D-HS (2.5mm)
- **8 Nozzle/Needle Sizes:** 0.5mm, 0.8mm, 1.0mm, 1.3mm, 1.5mm, 1.8mm, 2.0mm, 2.5mm
- Durable, lightweight and balanced gun body made from aircraft-grade aluminum with NO O-rings
- All wetted parts are manufactured from marine-grade stainless steel
- Precision fan control through the Xpansive™ Fan Control Ring
- Use as a Bleeder or Non-Bleeder spray gun.
- **3 Cup Configurations**
 - Gravity feed – 3 cup sizes
 - Pressure feed – 3 bottom cup sizes
 - Production feed – 2 Quart, 2-1/2 Gallon, 10 Gallon



A7700T/C Atomizer[®] Production Spray Gun Kit

This *TrueHVLP™* turbine or compressed air spray gun is supplied with a deluxe carrying case, spare parts kit, sample bottle of Genuine Apollo Spray Gun Lube and a wrench (spanner). Ready to use with any pressure pot or cup accessory using a 3/8" NPSM (10mm) fluid coupler.

Weight: 16.9oz

Compatible With Most HVLP Turbine Systems

7700QT/QC Quick-Release Cup Gun

The Apollo AtomiZer® quick-release cup gun is supplied with a 1 quart (1 liter) non-stick coated cup assembly, deluxe carrying case, spare parts kit, stainless steel material filter, sample bottle of genuine Apollo spray gun lube and a wrench (spanner).

Weight: 32.4oz (0.92kg)



7700MT/MC Touch-Up Spray Gun

The Apollo AtomiZer® touch-up cup gun is supplied with an 8fl. oz (250cc) mini touch-up cup assembly, carrying case, spare parts kit, stainless steel material filter, sample bottle of genuine Apollo spray gun lube and a wrench (spanner).

Weight: 20.3oz (0.58kg)

7700GT/GC Gravity Feed Spray Gun

The Apollo AtomiZer® gravity feed spray gun is supplied with a 3fl. oz (90cc), 8fl. oz (250cc) or 20fl. oz (600cc) gravity cup, deluxe carrying case, spare parts kit, sample bottle of genuine Apollo spray gun lube and a wrench (spanner).

Weights:

- A7700GT/GC-90: 17.5oz (0.5kg)
- A7700GT/GC-250: 21.5oz (0.61kg)
- A7700GT/GC-600: 25.2oz (0.71kg)



4500-2 Quart (2 Liter) Fluid Feed System



Designed to be used with PRECISION and POWER VS Series turbine systems: models PRECISION-6 PRO, PRECISION-5 PRO LE, PRECISION-5 PRO, POWER 3, 4 & 5. Excellent in the shop or on site. Perfect for that larger job when a quart (Liter) is just not enough or when greater spray gun mobility is needed to get into a tight corner.

Includes: oil-less mini air compressor, 2 quart (2 Liter) pressure pot with stainless steel material tube, 30' (9m) fluid hose, air blanking screw and 4 wheels for easy mobility. Order part #A4500.

Shown with
model **POWER-5 VS**,
not included.



4550-Mobile Cart and Fluid Feed System

Designed to be used with PRECISION and POWER VS Series turbine systems: models PRECISION-6 PRO, PRECISION-5 PRO LE, PRECISION-5 PRO, POWER 3, 4 & 5. Excellent in the shop or on site. Perfect for larger jobs when a quart (Liter) is just not enough or when greater spray gun mobility is needed to get into a tight corner. 2.5 gallon (10 Liter) pressure pot non-stick coated inside and out, with stainless steel fluid parts throughout. Large wheels provide easier mobility when going up and and down stairs or curbs. Handle is removable for easy mobility and storage.

Includes: 2.5 gallon (10 Liter) deluxe pressure pot, oil-less mini air compressor, 30' (9m) fluid hose, air blanking screw and cart. Order part #A4550.



Shown with
model **PRECISION-6 PRO**,
not included.



Turbine "Y" Connector

Designed for use with all Apollo turbine systems. The Y-Connector allows a single gun turbine system to be used with two spray guns at the same time. Order part #A4227.



Replacement Filters and Pre-Filters

Genuine Apollo brand replacement filters and pre-filters are available for your Apollo turbine. Replace filters as recommended in the instruction manual and always use genuine Apollo brand filters for the best protection.

Model	Filter Part #	Pre-Filter Part #
PRECISION-6 PRO	A4098	A4096 (Pr)
PRECISION-5 PRO LE	A4098	A4096 (Pr)
PRECISION-5 PRO	A4169	A4096 (Pr)
POWER-3 VS	A4169	A4096 (Pr)
POWER-4 VS	A4169	A4096 (Pr)
POWER-5 VS	A4169	A4096 (Pr)

For older models refer to our web site



Handi-Hold™ Spray Gun Docking Station

Handi-Hold™ Spray Gun Docking Station. Store, hold or transport your spray gun in a vertical position with no risk of it falling over. Ready to spray when you are. Order part #A5326.



Genuine Apollo Fluid Hoses

Diameter	Length	Hose Part #
3/8" (10mm)	6' (2m)	A2114
3/8" (10mm)	20' (6m)	A2159
3/8" (10mm)	40' (8m)	A2160

3/8" (10mm) diameter heavy duty lined fluid hose, custom cut to desired length, or order the following pre-cut lengths complete with zinc coated fluid couplers.



Genuine Apollo Turbine Air Hoses

Available as replacements for any Apollo turbine system or as an extra hose to run multiple spray guns.

Diameter	Length	Hose Part #
5/8" (16mm)	24' (7m)	A1068
5/8" (16mm)	29' (8.84m)	A1068-29
5/8" (16mm)	32' (9.75m)	A1068-32
5/8" (16mm)	34' (10m)	A1069
5/8" (16mm)	44' (13m)	A1070

Comes complete with quick connect couplers. Apollo air hose is 5/8" (16mm) diameter with an added 4' (1.22m) flexible whip end reducing operator fatigue. The following are available in pre-cut lengths:



Viscosity Cup

A genuine Apollo viscosity cup will help you accurately measure your material thickness for perfect thinning/reducing every time. There are two models: Zahn® No. 2 (Part #A5249) and Ford No. 4 (Part #E3006).



1 Quart (1Liter) Cup Assembly

The Apollo 1 quart (1 liter) cup assembly comes standard with a non-stick coated cup and stainless steel material passageways. Use this cup to add onto any of Apollo's production spray guns. Order part #A5251T.



Mini Touch-up Cup Assembly

Add the mini 8fl. oz (250cc) touch-up cup assembly to any of Apollo's spray guns. Excellent for spraying smaller jobs, getting into tight places or for using and storing multiple colors or stains. Order part #A5269-4150.



3 Pack of Mini Cups

Add extra cups to your mini cup assembly to store your colors and stains without contaminating your container. Each cup comes with its own storage lid to easily change cups. Available in packs of 3 cups and 3 lids. Order part #A5405 (pack of 3).



Cleaning Kit

Our USA Made/Lifetime Warranted spray gun cleaning kit is an excellent choice to make cleanup easy. 11 piece kit contains multiple size brushes and picks to thoroughly reach and clean all spray gun parts. Order part #FS1900.



Spray Gun Lube

Apollo has developed a special spray gun lubricant that is suitable for use with all Apollo spray guns. This revolutionary lubricant took years to develop. Apollo spray gun lube can be used with both water and solvent finishes because there are no silicones or petroleum distillates added. Available in a 2fl. oz (14cc) bottle. Order part #A5407.



2 Quart (2 Liter) Pressure Pot with Single Regulator and Gauge

Expand your finishing volume with a 2 quart (2 liter) pressure pot. Greater volume and more flexibility. Cup and stainless steel material parts make this a great cup assembly for use with any turbine fluid feed system. Complete with single regulator and 0-30psi gauge. Order part #A4200, also available with dual regulators part #A4221.



2.5 Gallon (10 Liter) Pressure Pot

A rugged, non-stick coated pressure pot with stainless steel pick-up tube and mesh filter. Safe for water based coatings. Complete with single regulator and 0-30psi gauge for use with any turbine fluid feed system. Order part #A4113 with a single regulator or part #A4166 with dual regulators.



10 Gallon (40 Liter) Pressure Pot

A rugged, non-stick coated pressure pot with auto agitation, stainless steel pick-up tube and inner liner, mesh filter, wheels and Single Regulator and 0-30 psi gauge for use with any turbine fluid feed system. Ideal for any turbine system or air compressor set up. Safe for water base coatings. Order part #A4256 with a single regulator. Add a second regulator (Part # A7542) for use with compressed air.



Stainless Steel Filter

Use this handy stainless steel filter for spraying heavy latex (emulsion) paint and pigmented materials, including stains. Filters heavy particles of material that may be floating in your fluid. Helps to prevent clogged tips. Order part #A4254.



7700T/7500T Series OS (Overspray) Control

Use the Apollo OS control in your 7700T/7500T Series turbine spray gun. Reduces air flow from the turbine by as much as 50% for spraying thin materials and texturing. Order part # A5269-4150.



7700T/7500T Series Upper Port Insert and Cap

Connect your air hose to the upper port of your 7700T/7500T Series turbine spray gun. Simply remove the blanking cap and add the upper port insert. You can now attach your hose to the top of your spray gun, thereby increasing your air cap pressure and enabling you to put the hose over your shoulder. Order part # A7543 and A7544.



Gravity Cups

Use your Apollo 5530, 5630 or 7700/7600/7500 Series spray gun with a gravity cup. Apollo offers 3 sizes to choose from, 3fl. Oz (90cc), 8fl. Oz (250cc), and 20fl. Oz (600cc). Order part # A7555A (3fl. Oz/90cc), A5033 (8fl. Oz/250cc), A5034 (20fl. Oz/600cc).



Compressed Air Handle Coupler

Use your 7700T/7500T Series turbine spray gun with any air compressor. Simply remove the turbine handle coupler and add the compressed air handle coupler and your quick connect of choice. Order part #A7545.



Turbine Handle Coupler

Use your 7700/7600/7500 Series conversion spray gun with any turbine system. Simply remove the Compressed Air Handle Coupler and add the Turbine Handle Coupler. Order part #A7526.



Cup Regulator with Gauge

Add this cup regulator to your 8200, 8400 or 7700C/7500C Series conversion spray gun to regulate cup pressure independent from gun inlet pressure allowing you to spray heavier coatings by increasing the cup pressure. Order part #A8267.



Air Filter/Pressure Regulator

Excellent wall-mounted filter/pressure regulator to prevent oil and moisture from entering air lines. Regulate pressure for accurate air delivery to your spray gun. Easy to read gauge. Order part #4252.

Port Size: 3/8" (NPT) (10mm)

Filter Element: 5 μ

Adj. Pressure Range: 7-140 psi (0.5-9.9 kgf/cm²)

Max Service Pressure: 210 psi (15 kgf/cm²)

Max Flow: 88 cfm (2500 l/min)

Operating Temp Range: 41°F - 140°F (5°C - 60°C)

Drain Capacity: 2.71fl. oz (80ml)



Air Regulator

Regulate air pressure at the gun handle with this easy-to-read gauge and lightweight air pressure regulator. Order part #7542.



7700/7600/7500 Spray Gun Rebuild Kits

These are complete rebuild kits for all models of the Apollo AtomiZer™ 7700/7600/7500 Series spray guns. They include all the parts needed to rebuild your gun in one convenient package (Apollo spray gun lube, cleaning brush, air cap seal, air distributor plate, fan adjustment seal, air valve bushing, air valve retaining nut gasket, air valve seating gasket, gland seal, air distributor gasket and a cup top gasket for all kits except the A7547-P).

Model(s)	Kit Part #	Pieces
7700/7600/7500T, 7700/7500C	A7547-P	10
7700/7500QT, 7700/7500QC	A7547-Q	11
7700/7500MT, 7700/7500MC	A7547-M	11
7700/7600/7500GT-250, 7700/7500GC-250	A7547-G2	11
7700/7600/7500GT-600, 7700/7500GC-600, 7700/7600/7500GT-1000, 7700/7500GC-1000	A7547-G6	11




Wet Mil Gauge (1-80 mil)

Different coatings perform best when applied at different thicknesses. Bring greater precision and accuracy to your coatings with this precise and helpful gauge that measures wet thicknesses from 1-80 mil. Use the Wet Mil Gauge while finishing to ensure consistent, level and even layers throughout the coating application. Order part #FS1561



7700/7600/7500 Series Deluxe Accessory Package

A perfect add-on to your 7700/7600/7500 AtomiZer spray gun. A combination of our most popular size nozzles, needles and air caps all paired together in one handy set. Includes 0.8mm nozzle & needle with "A" air cap, 1.3mm nozzle & needle, 1.5mm nozzle & needle and 2.0mm nozzle & needle with "C" air cap. Order part #A7541.



Contractor Fluid Set

Add the additional fluid nozzles, needles and air cap that are not included in the Deluxe Fluid Set. The Contractor set includes a 1.8mm nozzle & needle and a 2.5mm nozzle & needle with the "D" air cap. Order part #A7549.

Filter Stand

No more wasted paint. The Apollo exclusive Filter Stand will collapse for transportation or storage and 2 pair of legs are included for 1 and 2 quart container sizes. Order part #FS1670.

Blow Off Tool

The Apollo exclusive blow off tool, compatible with all Turbine spray systems with a standard quick connect, provides the perfect high velocity air to REMOVE dust particles from your project surface prior to painting. Order part #FS1675.

